


JumpinJanners


07810038489

Slide Risk Assessment




This is a generic risk assessment for the use of an inflatable Slide.


Hazard Area	Risk	Existing Controls	Likelihood 1-5	Severity 1-5	Risk Score L X S	Further Action to Take
Slide	Over enthusiastic participants	Responsible person supervising at all times. Rocking from side to side is NOT PERMITTED UNDER ANY CIRCUMSTANCES.	2	1	2	In the event of large numbers of participants, a trained operator should be hired with the inflatable to aid with large numbers.
Slide	Jumping over unit	Responsible person supervising at all times.	1	1	1	In the event of large numbers of participants, a trained operator should be hired with the inflatable to aid with large numbers.
Slide	Jumping off unit	Responsible person supervising at all times. Safety mats around the bouncy castle entry / exits.	1	1	1	None
Slide	Danger of unnecessary Injury	Ensure that no one with a history of back or neck problems or who suffers from a heart complaint uses the inflatable. Anyone who is feeling unwell or suffering the effects of alcohol or drugs or	1	5	5	None




<http://jumpinjanners.com/>




		Pregnant may not use this equipment at any time.				
Slide	Overloading or tipping over	No user weighing over 90kg or 14 stone is permitted to use the equipment at any time. Maximum age is 12 unless it's an adult bouncy castle.	1	5	5	None
Slide	Larger participants colliding with smaller participants.	Responsible adult supervising always.	1	5	5	None
Slide	Adverse weather conditions.	Equipment to be switched off in heavy rain and is not permitted to be used in strong winds (above 24 mph) these conditions can be deemed a health and safety risk www.hse.gov.uk .	Dependant on weather.	Dependant on weather.	Dependant on weather.	None
Slide	Danger of injury from hard surfaces	The inflatable must never be mounted unless the inflatable bed is fully inflated whether the inflatable is in operation or not as this can lead to serious injury.	1	4	4	None
Slide	Injury Through lack of supervision.	Constant supervision is required by a responsible adult.	1	5	5	None
Slide	Tripping over anchorage points, electrical equipment.	Anchor points used as per manufacturer's instructions and where possible electrical cables not to cross any public pathway.	1	3	3	In the event of a large event safety fencing to be erected and cables to be covered/overhead.
Slide	Injury through incorrect positioning of equipment.	Do not move or try to reposition the inflatable under any circumstances and ensure that the anchors are always in place.	1	2	2	None




<http://jumpinjanners.com/>



Slide	Chocking	No food, drinks or chewing gum to be allowed on or near the inflatable.	1	4	4	None
Slide	Injury through 3rd party items and 3rd party bodies.	All shoes, glasses, jewellery, badges etc MUST be removed before using this inflatable. Always ensure the area surrounding the inflatable is not overcrowded.	1	5	5	None
Slide	Danger of fire	No smoking or barbecues on or near the inflatable at any time	1	5	5	None
Slide	Danger of falling from height.	Climbing, hanging, or sitting on walls is DANGEROUS and must not be allowed at any time. Equipment must always be supervised this is of exceptional important when the inflatable is erected on hard surfaces.	1	3	3	None
Slide	Emergency	In the event that someone is seriously injured. DO NOT move the individual, leave the inflatable switched on and dial 999 immediately.	1	5	5	None
Slide	Injury through lack of inflatable pressure or suffocation.	Do not allow anyone to be on the inflatable during inflation or deflation as this can be EXTREMELY DANGEROUS.	1	5	5	Contact Jumpin Janners if the bouncy castle is under inflated in anyway immediately and stop using the bouncy castle until checked.
Slide	Injury through insecure anchorage.	Never use any unit without proper anchorage in place. It may be blown over in certain wind conditions. If the inflatable unit is not anchored correctly, please ensure you tell a member of Jumpin Janners immediately	1	5	5	None



<http://jumpinjanners.com/>




Slide	Sliding headfirst, jumping, or flipping.	There is to be no flipping or jumping at the top of the slide. Sliding is feet first on your backside only.	2	5	10	In the event of large numbers of participants trained operators can be supplied with the inflatable to aid with large numbers / big crowds. Follow the full terms and conditions as well as the terms of hire. Show safety cartoons.
Slide	Sliding into other users	Ensure no users slide down the slide at the same time, it's a strict one at a time policy.	2	5	10	Follow the full terms and conditions as well as the terms of hire. Show safety cartoons.


L=Likelihood S=Severity L*S= Risk 1=Low 5=High

Risk is worked out using numbers 1 - 5. The likelihood is given a number and this is multiplied by the number given to the severity of the risk. The result = the risk factor. This generic risk assessment is brief and we have our own individual assessments for each individual risk, 25 being the worst possible outcome, any item reaching 25 would give serious cause for concern & we would not be able to erect the unit. It is recommended that clients undertake their own risk assessment to suit their requirements.

- 10'x10' - Inflatable / Bouncy Castle Max. 4 children
- 12'x12' - Inflatable / Bouncy Castle Max. 6 children
- 13'x12' - Inflatable / Bouncy Castle Max. 6 children
- 16'x14' - Inflatable / Bouncy Castle Max. 6 children
- 15'x11' - Inflatable / Bouncy Castle Max. 6 children
- 15'x15' - Inflatable / Bouncy Castle Max. 8 children
- 20'x20' - Inflatable / Bouncy Castle Max. 10 children
- 50'x11' - Inflatable / Bouncy Castle Max. 10 children
- Slides - Inflatable / Bouncy Castle Max. 6 children



<http://jumpinjanners.com/>



Any notes, new risks:

Risk Assessment carried out by:

Name: Ryan Szulc


Signature:

Date:

I, the hirer confirm I have read and understood the risk assessment and the safety measures I must follow.

Hirer's Name:

Signature:



<http://jumpinjanners.com/>

